



MAX PLANCK INSTITUTE
FOR DYNAMICS OF COMPLEX
TECHNICAL SYSTEMS
MAGDEBURG



COMPUTATIONAL METHODS IN
SYSTEMS AND CONTROL THEORY

SYSTEM-THEORETIC METHODS FOR LINEAR AND NONLINEAR MOR

Part II: Nonlinear Systems

Peter Benner

Model Order Reduction Summer School 2020
EPFL Lausanne

September 7–11, 2020

Supported by:



DFG-Graduiertenkolleg
MATHEMATISCHE
KOMPLEXITÄTSREDUKTION



Partners:





CSC

Contributors

Tobias Breiten



(TU Berlin)

Tobias Damm



(TU Kaiserslautern)

Pawan Goyal



(MPI Magdeburg)



1. Introduction
2. Balanced Truncation for Bilinear Systems
3. Balanced Truncation for QB Systems
4. Balanced Truncation for Polynomial Systems
5. Conclusions



1. Introduction

Model Reduction for Control Systems

System Classes

How general are these system classes?

Gramian-based Model Reduction for Linear Systems

2. Balanced Truncation for Bilinear Systems

3. Balanced Truncation for QB Systems

4. Balanced Truncation for Polynomial Systems

5. Conclusions

Nonlinear Control Systems

$$\Sigma : \begin{cases} E\dot{x}(t) &= f(t, x(t), u(t)), \\ y(t) &= g(t, x(t), u(t)), \end{cases} \quad Ex(t_0) = Ex_0,$$

with

- (generalized) states $x(t) \in \mathbb{R}^n$,
- inputs $u(t) \in \mathbb{R}^m$,
- outputs $y(t) \in \mathbb{R}^q$.

If E singular \rightsquigarrow descriptor system. Here, $E = I_n$ for simplicity.



Original System ($E = I_n$)

$$\Sigma : \begin{cases} \dot{x}(t) = f(t, x(t), u(t)), \\ y(t) = g(t, x(t), u(t)), \end{cases}$$

- states $x(t) \in \mathbb{R}^n$,
- inputs $u(t) \in \mathbb{R}^m$,
- outputs $y(t) \in \mathbb{R}^q$.



Reduced-Order Model (ROM)

$$\widehat{\Sigma} : \begin{cases} \dot{\hat{x}}(t) = \widehat{f}(t, \hat{x}(t), \textcolor{violet}{u}(t)), \\ \hat{y}(t) = \widehat{g}(t, \hat{x}(t), \textcolor{violet}{u}(t)), \end{cases}$$

- states $\hat{x}(t) \in \mathbb{R}^r$, $r \ll n$,
- inputs $u(t) \in \mathbb{R}^m$,
- outputs $\hat{y}(t) \in \mathbb{R}^q$.



Goals:

$\|y - \hat{y}\| < \text{tolerance} \cdot \|u\|$ for all admissible input signals.

Secondary goal: reconstruct approximation of x from \hat{x} .

Original System ($E = I_n$)

$$\Sigma : \begin{cases} \dot{x}(t) = f(t, x(t), u(t)), \\ y(t) = g(t, x(t), u(t)), \end{cases}$$

- states $x(t) \in \mathbb{R}^n$,
- inputs $u(t) \in \mathbb{R}^m$,
- outputs $y(t) \in \mathbb{R}^q$.



Reduced-Order Model (ROM)

$$\widehat{\Sigma} : \begin{cases} \dot{\hat{x}}(t) = \widehat{f}(t, \hat{x}(t), \textcolor{violet}{u(t)}), \\ \hat{y}(t) = \widehat{g}(t, \hat{x}(t), \textcolor{violet}{u(t)}), \end{cases}$$

- states $\hat{x}(t) \in \mathbb{R}^r$, $r \ll n$,
- inputs $u(t) \in \mathbb{R}^m$,
- outputs $\hat{y}(t) \in \mathbb{R}^q$.



Goals:

$\|y - \hat{y}\| < \text{tolerance} \cdot \|u\|$ for all admissible input signals.

Secondary goal: reconstruct approximation of x from \hat{x} .



CSC

System Classes

Control-Affine (Autonomous) Systems

$$\begin{aligned}\dot{x}(t) &= f(t, x, u) = \mathcal{A}(x(t)) + \mathcal{B}(x(t))u(t), \quad \mathcal{A} : \mathbb{R}^n \rightarrow \mathbb{R}^n, \quad \mathcal{B} : \mathbb{R}^n \rightarrow \mathbb{R}^{n \times m}, \\ y(t) &= g(t, x, u) = \mathcal{C}(x(t)) + \mathcal{D}(x(t))u(t), \quad \mathcal{C} : \mathbb{R}^n \rightarrow \mathbb{R}^q, \quad \mathcal{D} : \mathbb{R}^n \rightarrow \mathbb{R}^{q \times m}.\end{aligned}$$



Control-Affine (Autonomous) Systems

$$\begin{aligned}\dot{x}(t) &= f(t, x, u) = \mathcal{A}(x(t)) + \mathcal{B}(x(t))u(t), \quad \mathcal{A} : \mathbb{R}^n \rightarrow \mathbb{R}^n, \quad \mathcal{B} : \mathbb{R}^n \rightarrow \mathbb{R}^{n \times m}, \\ y(t) &= g(t, x, u) = \mathcal{C}(x(t)) + \mathcal{D}(x(t))u(t), \quad \mathcal{C} : \mathbb{R}^n \rightarrow \mathbb{R}^q, \quad \mathcal{D} : \mathbb{R}^n \rightarrow \mathbb{R}^{q \times m}.\end{aligned}$$

Linear, Time-Invariant (LTI) Systems

$$\begin{aligned}\dot{x}(t) &= f(t, x, u) = Ax(t) + Bu(t), \quad A \in \mathbb{R}^{n \times n}, \quad B \in \mathbb{R}^{n \times m}, \\ y(t) &= g(t, x, u) = Cx(t) + Du(t), \quad C \in \mathbb{R}^{q \times n}, \quad D \in \mathbb{R}^{q \times m}.\end{aligned}$$



Control-Affine (Autonomous) Systems

$$\begin{aligned}\dot{x}(t) &= f(t, x, u) = \mathcal{A}(x(t)) + \mathcal{B}(x(t))u(t), \quad \mathcal{A} : \mathbb{R}^n \rightarrow \mathbb{R}^n, \quad \mathcal{B} : \mathbb{R}^n \rightarrow \mathbb{R}^{n \times m}, \\ y(t) &= g(t, x, u) = \mathcal{C}(x(t)) + \mathcal{D}(x(t))u(t), \quad \mathcal{C} : \mathbb{R}^n \rightarrow \mathbb{R}^q, \quad \mathcal{D} : \mathbb{R}^n \rightarrow \mathbb{R}^{q \times m}.\end{aligned}$$

Linear, Time-Invariant (LTI) Systems

$$\begin{aligned}\dot{x}(t) &= f(t, x, u) = Ax(t) + Bu(t), \quad A \in \mathbb{R}^{n \times n}, \quad B \in \mathbb{R}^{n \times m}, \\ y(t) &= g(t, x, u) = Cx(t) + Du(t), \quad C \in \mathbb{R}^{q \times n}, \quad D \in \mathbb{R}^{q \times m}.\end{aligned}$$

Bilinear Systems

$$\begin{aligned}\dot{x}(t) &= f(t, x, u) = Ax(t) + \sum_{i=1}^m u_i(t)A_i x(t) + Bu(t), \quad A, A_i \in \mathbb{R}^{n \times n}, \quad B \in \mathbb{R}^{n \times m}, \\ y(t) &= g(t, x, u) = Cx(t) + Du(t), \quad C \in \mathbb{R}^{q \times n}, \quad D \in \mathbb{R}^{q \times m}.\end{aligned}$$



Linear, Time-Invariant (LTI) Systems

$$\begin{aligned}\dot{x}(t) &= f(t, x, u) = Ax(t) + Bu(t), & A \in \mathbb{R}^{n \times n}, \quad B \in \mathbb{R}^{n \times m}, \\ y(t) &= g(t, x, u) = Cx(t) + Du(t), & C \in \mathbb{R}^{q \times n}, \quad D \in \mathbb{R}^{q \times m}.\end{aligned}$$

Bilinear Systems

$$\begin{aligned}\dot{x}(t) &= f(t, x, u) = Ax(t) + \sum_{i=1}^m u_i(t)A_i x(t) + Bu(t), & A, A_i \in \mathbb{R}^{n \times n}, \quad B \in \mathbb{R}^{n \times m}, \\ y(t) &= g(t, x, u) = Cx(t) + Du(t), & C \in \mathbb{R}^{q \times n}, \quad D \in \mathbb{R}^{q \times m}.\end{aligned}$$

Quadratic-Bilinear (QB) Systems

$$\begin{aligned}\dot{x}(t) &= f(t, x, u) = Ax(t) + H(x(t) \otimes x(t)) + \sum_{i=1}^m u_i(t)A_i x(t) + Bu(t), \\ &\quad A, A_i \in \mathbb{R}^{n \times n}, \quad H \in \mathbb{R}^{n \times n^2}, \quad B \in \mathbb{R}^{n \times m}, \\ y(t) &= g(t, x, u) = Cx(t) + Du(t), & C \in \mathbb{R}^{q \times n}, \quad D \in \mathbb{R}^{q \times m}.\end{aligned}$$



Quadratic-Bilinear (QB) Systems

$$\begin{aligned}\dot{x}(t) &= f(t, x, u) = Ax(t) + H(x(t) \otimes x(t)) + \sum_{i=1}^m u_i(t) A_i x(t) + Bu(t), \\ &\quad A, A_i \in \mathbb{R}^{n \times n}, H \in \mathbb{R}^{n \times n^2}, B \in \mathbb{R}^{n \times m}, \\ y(t) &= g(t, x, u) = Cx(t) + Du(t), \\ &\quad C \in \mathbb{R}^{q \times n}, D \in \mathbb{R}^{q \times m}.\end{aligned}$$

Polynomial Systems

$$\begin{aligned}\dot{x}(t) &= f(t, x, u) = Ax(t) + \sum_{j=2}^{n_p} H_j (\otimes^j x(t)) + \sum_{j=2}^{n_p} \sum_{k=1}^m A_j^k (\otimes^j x(t)) u_k(t) + Bu(t), \\ &\quad H_j, A_j^k \text{ of "appropriate size"}, \\ y(t) &= g(t, x, u) = Cx(t) + Du(t), \\ &\quad C \in \mathbb{R}^{q \times n}, D \in \mathbb{R}^{q \times m}.\end{aligned}$$



Control-Affine (Autonomous) Systems

$$\begin{aligned}\dot{x}(t) &= f(t, x, u) = \mathcal{A}(x(t)) + \mathcal{B}(x(t))u(t), \quad \mathcal{A} : \mathbb{R}^n \rightarrow \mathbb{R}^n, \quad \mathcal{B} : \mathbb{R}^n \rightarrow \mathbb{R}^{n \times m}, \\ y(t) &= g(t, x, u) = \mathcal{C}(x(t)) + \mathcal{D}(x(t))u(t), \quad \mathcal{C} : \mathbb{R}^n \rightarrow \mathbb{R}^q, \quad \mathcal{D} : \mathbb{R}^n \rightarrow \mathbb{R}^{q \times m}.\end{aligned}$$

Quadratic-Bilinear (QB) Systems

$$\begin{aligned}\dot{x}(t) &= f(t, x, u) = Ax(t) + H(x(t) \otimes x(t)) + \sum_{i=1}^m u_i(t)A_i x(t) + Bu(t), \\ &\quad A, A_i \in \mathbb{R}^{n \times n}, \quad H \in \mathbb{R}^{n \times n^2}, \quad B \in \mathbb{R}^{n \times m}, \\ y(t) &= g(t, x, u) = Cx(t) + Du(t), \quad C \in \mathbb{R}^{q \times n}, \quad D \in \mathbb{R}^{q \times m}.\end{aligned}$$

Written in control-affine form:

$$\begin{aligned}\mathcal{A}(x) &:= Ax + H(x \otimes x), \quad \mathcal{B}(x) := [A_1, \dots, A_m](I_m \otimes x) + B \\ \mathcal{C}(x) &:= Cx, \quad \mathcal{D}(x) := D.\end{aligned}$$



How general are these system classes?

Carleman Bilinearization

Consider **smooth** nonlinear, control-affine system with $m = 1$:

$$\begin{aligned}\dot{x} &= \mathcal{A}(x) + Bu \quad \text{with } \mathcal{A}(0) = 0, \\ y &= Cx + Du.\end{aligned}$$

How general are these system classes?

Carleman Bilinearization

Consider **smooth** nonlinear, control-affine system with $m = 1$:

$$\dot{x} = \mathcal{A}(x) + Bu \quad \text{with } \mathcal{A}(0) = 0.$$

Taylor expansion of state equation about $x = 0$ yields

$$\dot{x} = Ax + H(x \otimes x) + \dots + Bu.$$

How general are these system classes?

Carleman Bilinearization

Consider **smooth** nonlinear, control-affine system with $m = 1$:

$$\dot{x} = \mathcal{A}(x) + Bu \quad \text{with } \mathcal{A}(0) = 0.$$

Taylor expansion of state equation about $x = 0$ yields

$$\dot{x} = Ax + H(x \otimes x) + \dots + Bu.$$

Instead of truncating Taylor expansion, **Carleman (bi)linearization** takes into account K higher order terms (h.o.t.) by introducing **new variables**:

$$x^{(k)} := x \underbrace{\otimes \cdots \otimes x}_{(k-1) \text{ times}}, \quad k = 1, \dots, K.$$

Here: $K = 2$, i.e., $z := x^{(2)} = x \otimes x$.

Consider **smooth** nonlinear, control-affine system with $m = 1$:

$$\dot{x} = \mathcal{A}(x) + Bu \quad \text{with } \mathcal{A}(0) = 0.$$

Taylor expansion of state equation about $x = 0$ yields

$$\dot{x} = Ax + H(x \otimes x) + \dots + Bu.$$

Instead of truncating Taylor expansion, **Carleman (bi)linearization** takes into account $K = 2$ higher order terms (h.o.t.) by introducing **new variables**: $z := x^{(2)} = x \otimes x$.

Then z satisfies

$$\dot{z} = \dot{x} \otimes x + x \otimes \dot{x} = (Ax + Hz + \dots + Bu) \otimes x + x \otimes (Ax + Hz + \dots + Bu).$$

Consider **smooth** nonlinear, control-affine system with $m = 1$:

$$\begin{aligned}\dot{x} &= \mathcal{A}(x) + Bu \quad \text{with } \mathcal{A}(0) = 0, \\ y &= Cx + Du.\end{aligned}$$

Instead of truncating Taylor expansion, **Carleman (bi)linearization** takes into account $K = 2$ higher order terms (h.o.t.) by introducing **new variables**: $z := x^{(2)} = x \otimes x$. Then z satisfies

$$\dot{z} = \dot{x} \otimes x + x \otimes \dot{x} = (Ax + Hz + \dots + Bu) \otimes x + x \otimes (Ax + Hz + \dots + Bu).$$

Ignoring h.o.t. \implies **bilinear system** with state $x^\otimes := [x^T, z^T]^T \in \mathbb{R}^{n+n^2}$:

$$\begin{aligned}\frac{d}{dt}x^\otimes &= \begin{bmatrix} A & H \\ 0 & A \otimes I_n + I_n \otimes A \end{bmatrix}x^\otimes + \begin{bmatrix} 0 & 0 \\ B \otimes I_n + I_n \otimes B & 0 \end{bmatrix}(x^\otimes)u + \begin{bmatrix} B \\ 0 \end{bmatrix}u, \\ y^\otimes &= [C \quad 0]x^\otimes + Du.\end{aligned}$$

Consider **smooth** nonlinear, control-affine system with $m = 1$:

$$\begin{aligned}\dot{x} &= \mathcal{A}(x) + Bu \quad \text{with } \mathcal{A}(0) = 0, \\ y &= Cx + Du.\end{aligned}$$

Instead of truncating Taylor expansion, **Carleman (bi)linearization** takes into account $K = 2$ higher order terms (h.o.t.) by introducing **new variables**: $z := x^{(2)} = x \otimes x$. Then z satisfies

$$\dot{z} = \dot{x} \otimes x + x \otimes \dot{x} = (Ax + Hz + \dots + Bu) \otimes x + x \otimes (Ax + Hz + \dots + Bu).$$

Ignoring h.o.t. \implies **bilinear system** with state $x^\otimes := [x^T, z^T]^T \in \mathbb{R}^{n+n^2}$:

$$\begin{aligned}\frac{d}{dt}x^\otimes &= \begin{bmatrix} A & H \\ 0 & A \otimes I_n + I_n \otimes A \end{bmatrix}x^\otimes + \begin{bmatrix} 0 & 0 \\ B \otimes I_n + I_n \otimes B & 0 \end{bmatrix}(x^\otimes)u + \begin{bmatrix} B \\ 0 \end{bmatrix}u, \\ y^\otimes &= [C \quad 0]x^\otimes + Du.\end{aligned}$$

Remark

Bilinear systems directly occur, e.g., in biological systems, PDE control problems with mixed boundary conditions, "control via coefficients", networked control systems, ...



How general are these system classes?

Quadratic-Bilinearization

QB systems can be obtained as approximation (by truncating Taylor expansion) to weakly nonlinear systems [PHILLIPS 2003].

-
- ❑ C. Gu. QLMOR: A Projection-Based Nonlinear Model Order Reduction Approach Using Quadratic-Linear Representation of Nonlinear Systems. *IEEE TRANSACTIONS ON COMPUTER-AIDED DESIGN OF INTEGRATED CIRCUITS AND SYSTEMS*, 30(9):1307–1320, 2011.
 - ❑ L. Feng, X. Zeng, C. Chiang, D. Zhou, and Q. Fang. Direct nonlinear order reduction with variational analysis. In: *Proceedings of DATE 2004*, pp. 1316-1321.
 - ❑ J. R. Phillips. Projection-based approaches for model reduction of weakly nonlinear time-varying systems. *IEEE TRANSACTIONS ON COMPUTER-AIDED DESIGN OF INTEGRATED CIRCUITS AND SYSTEMS*, 22(2):171-187, 2003.

QB systems can be obtained as approximation (by truncating Taylor expansion) to weakly nonlinear systems [PHILLIPS 2003].

But **exact representation** of smooth nonlinear systems possible:

Theorem [Gu 2009/11]

Assume that the state equation of a nonlinear system is given by

$$\dot{x} = a_0x + a_1g_1(x) + \dots + a_kg_k(x) + Bu,$$

where $g_i(x) : \mathbb{R}^n \rightarrow \mathbb{R}^n$ are compositions of uni-variable rational, exponential, logarithmic, trigonometric or root functions, respectively. Then, by iteratively taking derivatives and adding algebraic equations, respectively, the nonlinear system can be transformed into a QB(DAE) system.

-
- C. Gu. QLMOR: A Projection-Based Nonlinear Model Order Reduction Approach Using Quadratic-Linear Representation of Nonlinear Systems. *IEEE TRANSACTIONS ON COMPUTER-AIDED DESIGN OF INTEGRATED CIRCUITS AND SYSTEMS*, 30(9):1307–1320, 2011.
 - L. Feng, X. Zeng, C. Chiang, D. Zhou, and Q. Fang. Direct nonlinear order reduction with variational analysis. In: *Proceedings of DATE 2004*, pp. 1316-1321.
 - J. R. Phillips. Projection-based approaches for model reduction of weakly nonlinear time-varying systems. *IEEE TRANSACTIONS ON COMPUTER-AIDED DESIGN OF INTEGRATED CIRCUITS AND SYSTEMS*, 22(2):171-187, 2003.

QB systems can be obtained as approximation (by truncating Taylor expansion) to weakly nonlinear systems [PHILLIPS 2003].

But **exact representation** of smooth nonlinear systems possible:

Theorem [Gu 2009/11]

Assume that the state equation of a nonlinear system is given by

$$\dot{x} = a_0x + a_1g_1(x) + \dots + a_kg_k(x) + Bu,$$

where $g_i(x) : \mathbb{R}^n \rightarrow \mathbb{R}^n$ are compositions of uni-variable rational, exponential, logarithmic, trigonometric or root functions, respectively. Then, by iteratively taking derivatives and adding algebraic equations, respectively, the nonlinear system can be transformed into a QB(DAE) system.

Alternatively, polynomial-bilinear system can be obtained using iterated Lie brackets [GU 2011].

-
- C. Gu. QLMOR: A Projection-Based Nonlinear Model Order Reduction Approach Using Quadratic-Linear Representation of Nonlinear Systems. *IEEE TRANSACTIONS ON COMPUTER-AIDED DESIGN OF INTEGRATED CIRCUITS AND SYSTEMS*, 30(9):1307–1320, 2011.
 - L. Feng, X. Zeng, C. Chiang, D. Zhou, and Q. Fang. Direct nonlinear order reduction with variational analysis. In: *Proceedings of DATE 2004*, pp. 1316-1321.
 - J. R. Phillips. Projection-based approaches for model reduction of weakly nonlinear time-varying systems. *IEEE TRANSACTIONS ON COMPUTER-AIDED DESIGN OF INTEGRATED CIRCUITS AND SYSTEMS*, 22(2):171-187, 2003.

Idea borrowed from non-convex optimization:

- **Lift to higher dimensions using $const. \cdot n$ additional variables,**
- convex relaxation.

📄 G. P. McCormick. Computability of global solutions to factorable nonconvex programs: Part I, convex underestimating problems. *MATHEMATICAL PROGRAMMING*, 10(1):147–175, 1976.

Idea borrowed from non-convex optimization:

- Lift to higher dimensions using $\text{const.} \cdot n$ additional variables,
- convex relaxation.

Example

$$\dot{x}_1 = \exp(-x_2) \cdot \sqrt{x_1^2 + 1}, \quad \dot{x}_2 = -x_2 + u.$$

📄 G. P. McCormick. Computability of global solutions to factorable nonconvex programs: Part I, convex underestimating problems. *MATHEMATICAL PROGRAMMING*, 10(1):147–175, 1976.

Idea borrowed from non-convex optimization:

- Lift to higher dimensions using $\text{const.} \cdot n$ additional variables,
- convex relaxation.

Example

$$\begin{aligned}\dot{x}_1 &= \exp(-x_2) \cdot \sqrt{x_1^2 + 1}, & \dot{x}_2 &= -x_2 + u. \\ z_1 &:= \exp(-x_2), & z_2 &:= \sqrt{x_1^2 + 1}.\end{aligned}$$

□ G. P. McCormick. Computability of global solutions to factorable nonconvex programs: Part I, convex underestimating problems. *MATHEMATICAL PROGRAMMING*, 10(1):147–175, 1976.

Idea borrowed from non-convex optimization:

- Lift to higher dimensions using $\text{const.} \cdot n$ additional variables,
- convex relaxation.

Example

$$\begin{aligned}\dot{x}_1 &= \exp(-x_2) \cdot \sqrt{x_1^2 + 1}, & \dot{x}_2 &= -x_2 + u. \\ z_1 &:= \exp(-x_2), & z_2 &:= \sqrt{x_1^2 + 1}. \\ \dot{x}_1 &= z_1 \cdot z_2, & \dot{x}_2 &= -x_2 + u,\end{aligned}$$

📄 G. P. McCormick. Computability of global solutions to factorable nonconvex programs: Part I, convex underestimating problems. *MATHEMATICAL PROGRAMMING*, 10(1):147–175, 1976.

Idea borrowed from non-convex optimization:

- Lift to higher dimensions using $\text{const.} \cdot n$ additional variables,
- convex relaxation.

Example

$$\begin{aligned}\dot{x}_1 &= \exp(-x_2) \cdot \sqrt{x_1^2 + 1}, & \dot{x}_2 &= -x_2 + u. \\ z_1 &:= \exp(-x_2), & z_2 &:= \sqrt{x_1^2 + 1}. \\ \dot{x}_1 &= z_1 \cdot z_2, & \dot{x}_2 &= -x_2 + u, \\ \dot{z}_1 &= -z_1 \cdot (-x_2 + u), & \dot{z}_2 &= \frac{2 \cdot x_1 \cdot z_1 \cdot z_2}{2 \cdot z_2} = x_1 \cdot z_1.\end{aligned}$$

📄 G. P. McCormick. Computability of global solutions to factorable nonconvex programs: Part I, convex underestimating problems. *MATHEMATICAL PROGRAMMING*, 10(1):147–175, 1976.

Idea borrowed from non-convex optimization:

- Lift to higher dimensions using $\text{const.} \cdot n$ additional variables,
- convex relaxation.

Example

$$\begin{aligned}\dot{x}_1 &= \exp(-x_2) \cdot \sqrt{x_1^2 + 1}, & \dot{x}_2 &= -x_2 + u. \\ z_1 &:= \exp(-x_2), & z_2 &:= \sqrt{x_1^2 + 1}. \\ \dot{x}_1 &= z_1 \cdot z_2, & \dot{x}_2 &= -x_2 + u, \\ \dot{z}_1 &= -z_1 \cdot (-x_2 + u), & \dot{z}_2 &= \frac{2 \cdot x_1 \cdot z_1 \cdot z_2}{2 \cdot z_2} = x_1 \cdot z_1.\end{aligned}$$

Alternatively, polynomial-bilinear system can be obtained using iterated Lie brackets [Gu 2011].

-
- G. P. McCormick. Computability of global solutions to factorable nonconvex programs: Part I, convex underestimating problems. *MATHEMATICAL PROGRAMMING*, 10(1):147–175, 1976.



CSC

Some QB-transformable Systems

FitzHugh-Nagumo model

Sine-Gordon equation

- Model describes activation and de-activation of neurons.
- Contains a cubic nonlinearity, which can be transformed to QB form.

- Applications in biomedical studies, mechanical transmission lines, etc.
- Contains **sin function**, which can also be rewritten into QB form.



Basic concept

- System Σ :
$$\begin{cases} \dot{x}(t) = Ax(t) + Bu(t), \\ y(t) = Cx(t), \end{cases}$$
 with A stable, i.e., $\Lambda(A) \subset \mathbb{C}^-$,
is balanced, if system Gramians, i.e., solutions P, Q of the Lyapunov equations

$$AP + PA^T + BB^T = 0, \quad A^T Q + QA + C^T C = 0,$$

satisfy: $P = Q = \text{diag}(\sigma_1, \dots, \sigma_n)$ with $\sigma_1 \geq \sigma_2 \geq \dots \geq \sigma_n > 0$.



Basic concept

- System Σ :
$$\begin{cases} \dot{x}(t) = Ax(t) + Bu(t), \\ y(t) = Cx(t), \end{cases}$$
 with A stable, i.e., $\Lambda(A) \subset \mathbb{C}^-$,
is balanced, if system Gramians, i.e., solutions P, Q of the Lyapunov equations

$$AP + PA^T + BB^T = 0, \quad A^T Q + QA + C^T C = 0,$$

satisfy: $P = Q = \text{diag}(\sigma_1, \dots, \sigma_n)$ with $\sigma_1 \geq \sigma_2 \geq \dots \geq \sigma_n > 0$.

- $\{\sigma_1, \dots, \sigma_n\}$ are the **Hankel singular values (HSVs)** of Σ .



Basic concept

- System Σ :
$$\begin{cases} \dot{x}(t) = Ax(t) + Bu(t), \\ y(t) = Cx(t), \end{cases}$$
 with A stable, i.e., $\Lambda(A) \subset \mathbb{C}^-$,
is balanced, if system Gramians, i.e., solutions P, Q of the Lyapunov equations

$$AP + PA^T + BB^T = 0, \quad A^T Q + QA + C^T C = 0,$$

satisfy: $P = Q = \text{diag}(\sigma_1, \dots, \sigma_n)$ with $\sigma_1 \geq \sigma_2 \geq \dots \geq \sigma_n > 0$.

- $\{\sigma_1, \dots, \sigma_n\}$ are the Hankel singular values (HSVs) of Σ .
- Compute balanced realization (needs $P, Q!$) of the system via state-space transformation

$$\begin{aligned} \mathcal{T} : (A, B, C) &\mapsto (TAT^{-1}, TB, CT^{-1}) \\ &= \left(\begin{bmatrix} A_{11} & A_{12} \\ A_{21} & A_{22} \end{bmatrix}, \begin{bmatrix} B_1 \\ B_2 \end{bmatrix}, \begin{bmatrix} C_1 & C_2 \end{bmatrix} \right). \end{aligned}$$



Basic concept

- System Σ :
$$\begin{cases} \dot{x}(t) = Ax(t) + Bu(t), \\ y(t) = Cx(t), \end{cases}$$
 with A stable, i.e., $\Lambda(A) \subset \mathbb{C}^-$,
is balanced, if system Gramians, i.e., solutions P, Q of the Lyapunov equations

$$AP + PA^T + BB^T = 0, \quad A^T Q + QA + C^T C = 0,$$

satisfy: $P = Q = \text{diag}(\sigma_1, \dots, \sigma_n)$ with $\sigma_1 \geq \sigma_2 \geq \dots \geq \sigma_n > 0$.

- $\{\sigma_1, \dots, \sigma_n\}$ are the Hankel singular values (HSVs) of Σ .
- Compute balanced realization (needs P, Q !) of the system via state-space transformation

$$\begin{aligned} \mathcal{T} : (A, B, C) &\mapsto (TAT^{-1}, TB, CT^{-1}) \\ &= \left(\begin{bmatrix} A_{11} & A_{12} \\ A_{21} & A_{22} \end{bmatrix}, \begin{bmatrix} B_1 \\ B_2 \end{bmatrix}, \begin{bmatrix} C_1 & C_2 \end{bmatrix} \right). \end{aligned}$$

- Truncation $\rightsquigarrow (\hat{A}, \hat{B}, \hat{C}) = (A_{11}, B_1, C_1)$.

Properties

- Reduced-order model is stable with HSVs $\sigma_1, \dots, \sigma_r$.
- Adaptive choice of r via computable error bound:

$$\|y - \hat{y}\|_2 \leq \|G - \hat{G}\|_{\mathcal{H}_\infty} \|u\|_2 \leq \left(2 \sum_{k=r+1}^n \sigma_k\right) \|u\|_2.$$

Practical implementation

- Rather than solving Lyapunov equations for P, Q (n^2 unknowns!), find $S, R \in \mathbb{R}^{n \times s}$ with $s \ll n$ such that $P \approx SS^T$, $Q \approx RR^T$.
- Reduced-order model directly obtained via small-scale ($s \times s$) SVD of $R^T S$!
- For sparse systems, no $\mathcal{O}(n^3)$ or $\mathcal{O}(n^2)$ computations necessary!



Outline

1. Introduction

2. Balanced Truncation for Bilinear Systems

Lyapunov-plus-Positive Equations

Parametric Systems as Bilinear Systems

3. Balanced Truncation for QB Systems

4. Balanced Truncation for Polynomial Systems

5. Conclusions



The concept of **balanced truncation** can be generalized to the class of bilinear systems, where we need the solutions of the **Lyapunov-plus-positive equations**:

$$\begin{aligned} AP + PA^T + \sum_{i=1}^m A_i P A_i^T + BB^T &= 0, \\ A^T Q + QA^T + \sum_{i=1}^m A_i^T Q A_i + C^T C &= 0. \end{aligned}$$



The concept of **balanced truncation** can be generalized to the class of bilinear systems, where we need the solutions of the **Lyapunov-plus-positive equations**:

$$\begin{aligned} AP + PA^T + \sum_{i=1}^m A_i P A_i^T + BB^T &= 0, \\ A^T Q + QA^T + \sum_{i=1}^m A_i^T Q A_i + C^T C &= 0. \end{aligned}$$

- If unique solutions $P = P^T \geq 0$, $Q = Q^T \geq 0$ exist, these can be used in balancing procedure like for linear systems, with

$$\hat{A} := W^T A V, \quad \hat{A}_i = W^T A_i V, \quad \hat{B} := W^T B, \quad \hat{C} := C V.$$

Note: in this case, if $P > 0$ ($Q > 0$), bilinear system is reachable (observable). See [AL-BAIYAT/BETTAYEB 1993, B./DAMM 2011] for details.



The concept of **balanced truncation** can be generalized to the class of bilinear systems, where we need the solutions of the **Lyapunov-plus-positive equations**:

$$\begin{aligned} AP + PA^T + \sum_{i=1}^m A_i P A_i^T + BB^T &= 0, \\ A^T Q + QA^T + \sum_{i=1}^m A_i^T Q A_i + C^T C &= 0. \end{aligned}$$

- If unique solutions $P = P^T \geq 0$, $Q = Q^T \geq 0$ exist, these can be used in balancing procedure like for linear systems, with

$$\hat{A} := W^T A V, \quad \hat{A}_i = W^T A_i V, \quad \hat{B} := W^T B, \quad \hat{C} := C V.$$

Note: in this case, if $P > 0$ ($Q > 0$), bilinear system is reachable (observable). See [AL-BAIYAT/BETTAYEB 1993, B./DAMM 2011] for details.

- Stability preservation [B./DAMM/REDMANN/RODRIGUEZ CRUZ 2016].



The concept of **balanced truncation** can be generalized to the class of bilinear systems, where we need the solutions of the **Lyapunov-plus-positive equations**:

$$\begin{aligned} AP + PA^T + \sum_{i=1}^m A_i P A_i^T + BB^T &= 0, \\ A^T Q + QA^T + \sum_{i=1}^m A_i^T Q A_i + C^T C &= 0. \end{aligned}$$

- If unique solutions $P = P^T \geq 0$, $Q = Q^T \geq 0$ exist, these can be used in balancing procedure like for linear systems, with

$$\hat{A} := W^T A V, \quad \hat{A}_i = W^T A_i V, \quad \hat{B} := W^T B, \quad \hat{C} := C V.$$

Note: in this case, if $P > 0$ ($Q > 0$), bilinear system is reachable (observable). See [AL-BAIYAT/BETTAYEB 1993, B./DAMM 2011] for details.

- Stability preservation [B./DAMM/REDMANN/RODRIGUEZ CRUZ 2016].
- These equations also appear for stochastic control systems, see [B./DAMM 2011].

The concept of **balanced truncation** can be generalized to the class of bilinear systems, where we need the solutions of the **Lyapunov-plus-positive equations**:

$$AP + PA^T + \sum_{i=1}^m A_i P A_i^T + BB^T = 0,$$

$$A^T Q + QA^T + \sum_{i=1}^m A_i^T Q A_i + C^T C = 0.$$

- If unique solutions $P = P^T \geq 0$, $Q = Q^T \geq 0$ exist, these can be used in balancing procedure like for linear systems, with

$$\hat{A} := W^T A V, \quad \hat{A}_i = W^T A_i V, \quad \hat{B} := W^T B, \quad \hat{C} := C V.$$

Note: in this case, if $P > 0$ ($Q > 0$), bilinear system is reachable (observable). See [AL-BAIYAT/BETTAYEB 1993, B./DAMM 2011] for details.

- Stability preservation [B./DAMM/REDMANN/RODRIGUEZ CRUZ 2016].
- These equations also appear for stochastic control systems, see [B./DAMM 2011].
- "Twice-the-trail-of-the-HSVs" error bound does not hold [B./DAMM 2014].

The concept of **balanced truncation** can be generalized to the class of bilinear systems, where we need the solutions of the **Lyapunov-plus-positive equations**:

$$\begin{aligned} AP + PA^T + \sum_{i=1}^m A_i P A_i^T + BB^T &= 0, \\ A^T Q + QA^T + \sum_{i=1}^m A_i^T Q A_i + C^T C &= 0. \end{aligned}$$

- If unique solutions $P = P^T \geq 0$, $Q = Q^T \geq 0$ exist, these can be used in balancing procedure like for linear systems, with

$$\hat{A} := W^T A V, \quad \hat{A}_i = W^T A_i V, \quad \hat{B} := W^T B, \quad \hat{C} := C V.$$

Note: in this case, if $P > 0$ ($Q > 0$), bilinear system is reachable (observable). See [AL-BAIYAT/BETTAYEB 1993, B./DAMM 2011] for details.

- Stability preservation [B./DAMM/REDMANN/RODRIGUEZ CRUZ 2016].
- These equations also appear for stochastic control systems, see [B./DAMM 2011].
- "Twice-the-trail-of-the-HSVs" error bound does not hold [B./DAMM 2014].
- Alternative Gramians based on linear matrix inequalities investigated by [REDMANN 2018], yield H_∞ error bound based on truncated characteristic values, but hard to compute for large-scale systems!



Lyapunov-plus-Positive Equations

Some Basic Facts and Assumptions

$$AX + XA^T + \sum_{i=1}^m A_i X A_i^T + BB^T = 0. \quad (1)$$

- Need a positive semi-definite symmetric solution X .

$$AX + XA^T + \sum_{i=1}^m A_i X A_i^T + BB^T = 0. \quad (1)$$

- Need a positive semi-definite symmetric solution X .
- In **standard Lyapunov case**, existence and uniqueness guaranteed if A stable ($\Lambda(A) \subset \mathbb{C}^-$); this is not sufficient here: (1) is equivalent to

$$\left(I_n \otimes A + A \otimes I_n + \sum_{i=1}^m A_i \otimes A_i \right) \text{vec}(X) = -\text{vec}(BB^T).$$

Sufficient condition for unique solvability: smallness of A_i (related to stability radius of A). \rightsquigarrow **bounded-input bounded-output (BIBO) stability** of bilinear systems.

This will be assumed from here on, hence: **existence and uniqueness of positive semi-definite solution $X = X^T$** .

$$AX + XA^T + \sum_{i=1}^m A_i X A_i^T + BB^T = 0. \quad (1)$$

- Need a positive semi-definite symmetric solution X .
- In standard Lyapunov case, existence and uniqueness guaranteed if A stable ($\Lambda(A) \subset \mathbb{C}^-$); this is not sufficient here: (1) is equivalent to

$$\left(I_n \otimes A + A \otimes I_n + \sum_{i=1}^m A_i \otimes A_i \right) \text{vec}(X) = -\text{vec}(BB^T).$$

Sufficient condition for unique solvability: smallness of A_i (related to stability radius of A). \rightsquigarrow **bounded-input bounded-output (BIBO) stability** of bilinear systems.

This will be assumed from here on, hence: **existence and uniqueness of positive semi-definite solution $X = X^T$** .

- Want: solution methods for large scale problems, i.e., only matrix-matrix multiplication with A, A_j , solves with (shifted) A allowed!

$$AX + XA^T + \sum_{i=1}^m A_i X A_i^T + BB^T = 0. \quad (1)$$

- Need a positive semi-definite symmetric solution X .
- In standard Lyapunov case, existence and uniqueness guaranteed if A stable ($\Lambda(A) \subset \mathbb{C}^-$); this is not sufficient here: (1) is equivalent to

$$\left(I_n \otimes A + A \otimes I_n + \sum_{i=1}^m A_i \otimes A_i \right) \text{vec}(X) = -\text{vec}(BB^T).$$

Sufficient condition for unique solvability: smallness of A_i (related to stability radius of A). \rightsquigarrow **bounded-input bounded-output (BIBO) stability** of bilinear systems.

This will be assumed from here on, hence: existence and uniqueness of positive semi-definite solution $X = X^T$.

- Want: solution methods for large scale problems, i.e., only matrix-matrix multiplication with A, A_j , solves with (shifted) A allowed!
- Requires to compute data-sparse approximation to generally dense X ; here: $X \approx ZZ^T$ with $Z \in \mathbb{R}^{n \times n_z}$, $n_z \ll n$!

Question

Can we expect low-rank approximations $ZZ^T \approx X$ to the solution of

$$AX + XA^T + \sum_{j=1}^m A_j X A_j^T + BB^T = 0 ?$$

Question

Can we expect low-rank approximations $ZZ^T \approx X$ to the solution of

$$AX + XA^T + \sum_{j=1}^m A_j X A_j^T + BB^T = 0 ?$$

Theorem

[B./Breiten 2012]

Assume existence and uniqueness with stable A and $A_j = U_j V_j^T$, with $U_j, V_j \in \mathbb{R}^{n \times r_j}$.

Set $r = \sum_{j=1}^m r_j$.

Then the solution X of

$$AX + XA^T + \sum_{j=1}^m A_j X A_j^T + BB^T = 0$$

can be approximated by X_k of rank $(2k+1)(m+r)$, with an error satisfying

$$\|X - X_k\|_2 \lesssim \exp(-\sqrt{k}).$$

- Generalized Alternating Directions Iteration (ADI) method.
 1. Computing square solution matrix ($\sim n^2$ unknowns) [DAMM 2008].
 2. Computing low-rank factors of solutions ($\sim n$ unknowns) [B./BREITEN 2013].
- Generalized Extended (or Rational) Krylov Subspace Method (EKSM/RKSM) [B./BREITEN 2013].
- Tensorized versions of standard Krylov subspace methods, e.g., PCG, PBiCGStab [KRESSNER/TOBLER 2011, B./BREITEN 2013].
- Inexact stationary (fix point) iteration [SHANK/SIMONCINI/SZYLD 2016].



Parametric Systems as Bilinear Systems

Linear Parametric Systems — An Alternative Interpretation

Consider **bilinear control systems**:

$$\Sigma : \begin{cases} \dot{x}(t) = Ax(t) + \sum_{i=1}^m A_i x(t) u_i(t) + Bu(t), \\ y(t) = Cx(t), \quad x(0) = x_0, \end{cases}$$

where $A, A_i \in \mathbb{R}^{n \times n}$, $B \in \mathbb{R}^{n \times m}$, $C \in \mathbb{R}^{q \times n}$.

Consider **bilinear control systems**:

$$\Sigma : \begin{cases} \dot{x}(t) = Ax(t) + \sum_{i=1}^m A_i x(t) u_i(t) + Bu(t), \\ y(t) = Cx(t), \quad x(0) = x_0, \end{cases}$$

where $A, A_i \in \mathbb{R}^{n \times n}$, $B \in \mathbb{R}^{n \times m}$, $C \in \mathbb{R}^{q \times n}$.

Key Observation

[B./Breiten 2011]

Consider parameters as additional inputs, a linear parametric system

$$\dot{x}(t) = Ax(t) + \sum_{i=1}^{m_p} a_i(p) A_i x(t) + B_0 u_0(t), \quad y(t) = Cx(t)$$

with $B_0 \in \mathbb{R}^{n \times m_0}$ can be interpreted as bilinear system:

$$u(t) := [a_1(p) \quad \dots \quad a_{m_p}(p) \quad u_0(t)]^T,$$

$$B := [\mathbf{0} \quad \dots \quad \mathbf{0} \quad B_0] \in \mathbb{R}^{n \times m}, \quad m = m_p + m_0.$$



CSC

Parametric Systems as Bilinear Systems

Linear Parametric Systems — An Alternative Interpretation

Linear parametric systems can be interpreted as bilinear systems.

Linear parametric systems can be interpreted as bilinear systems.

Consequence

Model order reduction techniques for bilinear systems can be applied to linear parametric systems!

Here: balanced truncation for bilinear systems.

Linear parametric systems can be interpreted as bilinear systems.

Consequence

Model order reduction techniques for bilinear systems can be applied to linear parametric systems!

Here: balanced truncation for bilinear systems.

Alternative: \mathcal{H}_2 -optimal rational interpolation/bilinear IRKA [B./BREITEN 2012, B./BRUNS 2015, FLAGG/GUGERCIN 2015].

$$E\dot{x}(t) = (A + p_1(t)A_1 + p_2(t)A_2)x(t) + B,$$

$$y(t) = Cx(t), \quad x(0) = x_0 \neq 0,$$

- Rewrite as system with zero initial condition,
- FE model: $n = 16,912$, $m = 3$, $q = 1$,
- $p_j \in [0, 10^9]$ time-varying voltage functions,
- transfer function $G(i\omega, p_1, p_2)$,
- reduced system dimension $r = 67$,
- $\max_{\substack{\omega \in \{\omega_{min}, \dots, \omega_{max}\} \\ p_j \in \{p_{min}, \dots, p_{max}\}}} \frac{\|G - \hat{G}\|_2}{\|G\|_2} < 6 \cdot 10^{-4}$,
- evaluation times: FOM 4.5h, ROM 38s
 \rightsquigarrow speed-up factor ≈ 426 .






Figure: [FENG ET AL. 2006]

Original...

and reduced-order model.





1. Introduction

2. Balanced Truncation for Bilinear Systems

3. Balanced Truncation for QB Systems

Balanced Truncation for Nonlinear Systems

Gramians for QB Systems

Truncated Gramians

Numerical Results

4. Balanced Truncation for Polynomial Systems

5. Conclusions

- Nonlinear balancing based on energy functionals [SCHERPEN 1993, GRAY/MESKO 1996].

Definition

[SCHERPEN 1993, GRAY/MESKO 1996]

The reachability energy functional, $L_c(x_0)$, and observability energy functional, $L_o(x_0)$ of a system are given as:

$$L_c(x_0) = \inf_{\substack{u \in L_2(-\infty, 0] \\ x(-\infty)=0, x(0)=x_0}} \frac{1}{2} \int_{-\infty}^0 \|u(t)\|^2 dt, \quad L_o(x_0) = \frac{1}{2} \int_0^\infty \|y(t)\|^2 dt.$$

Disadvantage: energy functionals are the solutions of nonlinear **Hamilton-Jacobi equations** which are hardly solvable for large-scale systems.

Note: For linear (LTI) systems,

$$L_c(x_0) = \frac{1}{2} x_0^T P^{-1} x_0, \quad L_o(x_0) = \frac{1}{2} x_0^T Q x_0,$$

where P, Q are the controllability and observability Gramians, respectively!



- Nonlinear balancing based on energy functionals [SCHERPEN 1993, GRAY/MESKO 1996].
Disadvantage: energy functionals are the solutions of nonlinear **Hamilton-Jacobi equations** which are hardly solvable for large-scale systems.
- Empirical Gramians/frequency-domain POD [LALL ET AL 1999, WILLCOX/PERAIRE 2002].

Example: controllability Gramian from time domain data (snapshots)

1. Define reachability Gramian of the system

$$P = \int_0^\infty x(t)x(t)^T dt, \quad \text{where } x(t) \text{ solves } \dot{x} = f(x, \delta), \quad x(0) = x_0.$$

2. Use time-domain integrator to produce snapshots $x_k \approx x(t_k)$, $k = 1, \dots, K$.
3. Approximate $P \approx \sum_{k=0}^K w_k x_k x_k^T$ with positive weights w_k .
4. Analogously for observability Gramian.
5. Compute balancing transformation and apply it to nonlinear system.

Disadvantage: Depends on chosen training input (e.g., $\delta(t_0)$) like other POD approaches.

For recent developments on empirical Gramians, see [HIMPE 2018].

- Nonlinear balancing based on energy functionals [SCHERPEN 1993, GRAY/MESKO 1996].
Disadvantage: energy functionals are the solutions of nonlinear **Hamilton-Jacobi equations** which are hardly solvable for large-scale systems.
- Empirical Gramians/frequency-domain POD [LALL ET AL 1999, WILLCOX/PERAIRE 2002].

Disadvantage: Depends on chosen training input (e.g., $\delta(t_0)$) like other POD approaches.

For recent developments on empirical Gramians, see [HIMPE 2018].

- ↵ **Goal:** computationally efficient and input-independent method!

-
- W. S. Gray and J. P. Mesko. Controllability and observability functions for model reduction of nonlinear systems. In Proc. of the Conf. on Information Sci. and Sys., pp. 1244–1249, 1996.
 - C. Himpe. emgr — The empirical Gramian framework. *ALGORITHMS* 11(7): 91, 2018. doi:10.3390/a11070091.
 - S. Lall, J. Marsden, and S. Glavaški. A subspace approach to balanced truncation for model reduction of nonlinear control systems. *INTERNATIONAL JOURNAL OF ROBUST AND NONLINEAR CONTROL*, 12:519–535, 2002.
 - J. M. A. Scherpen. Balancing for nonlinear systems. *SYSTEMS & CONTROL LETTERS*, 21:143–153, 1993.
 - K. Willcox and J. Peraire. Balanced model reduction via the proper orthogonal decomposition. *AIAA JOURNAL*, 40:2323–2330, 2002.



Balanced Truncation for QB Systems

Gramians for QB Systems

- A possible solution is to obtain bounds for the energy functionals, instead of computing them exactly.

- A possible solution is to obtain bounds for the energy functionals, instead of computing them exactly.
- For bilinear systems, such local bounds were derived in [B./DAMM 2011] using the solutions to the Lyapunov-plus-positive equations:

$$AP + PA^T + \sum_{i=1}^m A_i P A_i^T + BB^T = 0,$$
$$A^T Q + QA^T + \sum_{i=1}^m A_i^T Q A_i + C^T C = 0.$$

(Recall: if their solutions exist, they define reachability and observability Gramians of BIBO stable bilinear system.)

- Here, we aim at determining algebraic Gramians for QB (and polynomial) systems, which
 - provide bounds for the energy functionals of QB systems,
 - generalize the Gramians of linear and bilinear systems, and
 - allow us to find the states that are hard to reach as well as hard to observe in an efficient and reliable way.

- Consider **input → state** map of QB system ($m = 1, N \equiv A_1$):

$$\dot{x}(t) = Ax(t) + Hx(t) \otimes x(t) + Nx(t)u(t) + Bu(t), \quad x(0) = 0.$$

- Integration yields

$$x(t) = \int_0^t e^{A\sigma_1} Bu(t - \sigma_1) d\sigma_1 + \int_0^t e^{A\sigma_1} Nx(t - \sigma_1) u(t - \sigma_1) d\sigma_1 \\ + \int_0^t e^{A\sigma_1} Hx(t - \sigma_1) \otimes x(t - \sigma_1) d\sigma_1$$

[RUGH 1981]

- Consider **input → state** map of QB system ($m = 1$, $N \equiv A_1$):

$$\dot{x}(t) = Ax(t) + Hx(t) \otimes x(t) + Nx(t)u(t) + Bu(t), \quad x(0) = 0.$$

- Integration yields

$$\begin{aligned} x(t) &= \int_0^t e^{A\sigma_1} Bu(t - \sigma_1) d\sigma_1 + \int_0^t e^{A\sigma_1} Nx(t - \sigma_1) u(t - \sigma_1) d\sigma_1 \\ &\quad + \int_0^t e^{A\sigma_1} Hx(t - \sigma_1) \otimes x(t - \sigma_1) d\sigma_1 \\ &= \int_0^t e^{A\sigma_1} Bu(t - \sigma_1) d\sigma_1 + \int_0^t \int_0^{t-\sigma_1} e^{A\sigma_1} Ne^{A\sigma_2} Bu(t - \sigma_1) u(t - \sigma_1 - \sigma_2) d\sigma_1 d\sigma_2 \\ &\quad + \int_0^t \int_0^{t-\sigma_1} \int_0^{t-\sigma_1} e^{A\sigma_1} H(e^{A\sigma_2} B \otimes e^{A\sigma_3} B) u(t - \sigma_1 - \sigma_2) u(t - \sigma_1 - \sigma_3) d\sigma_1 d\sigma_2 d\sigma_3 + \dots \end{aligned}$$

[RUGH 1981]

- Consider **input → state** map of QB system ($m = 1, N \equiv A_1$):

$$\dot{x}(t) = Ax(t) + Hx(t) \otimes x(t) + Nx(t)u(t) + Bu(t), \quad x(0) = 0.$$

- Integration yields

$$\begin{aligned} x(t) &= \int_0^t e^{A\sigma_1} Bu(t - \sigma_1) d\sigma_1 + \int_0^t e^{A\sigma_1} Nx(t - \sigma_1) u(t - \sigma_1) d\sigma_1 \\ &\quad + \int_0^t e^{A\sigma_1} Hx(t - \sigma_1) \otimes x(t - \sigma_1) d\sigma_1 \\ &= \int_0^t e^{A\sigma_1} Bu(t - \sigma_1) d\sigma_1 + \int_0^t \int_0^{t-\sigma_1} e^{A\sigma_1} Ne^{A\sigma_2} Bu(t - \sigma_1) u(t - \sigma_1 - \sigma_2) d\sigma_1 d\sigma_2 \\ &\quad + \int_0^t \int_0^{t-\sigma_1} \int_0^{t-\sigma_1} e^{A\sigma_1} H(e^{A\sigma_2} B \otimes e^{A\sigma_3} B) u(t - \sigma_1 - \sigma_2) u(t - \sigma_1 - \sigma_3) d\sigma_1 d\sigma_2 d\sigma_3 + \dots \end{aligned}$$

- By iteratively inserting expressions for $x(t - \bullet)$, we obtain the **Volterra series expansion** for the QB system. [RUGH 1981]

Using the *Volterra kernels*, we can define the **controllability mappings**

$$\begin{aligned}\Pi_1(t_1) &:= e^{At_1} B, & \Pi_2(t_1, t_2) &:= e^{At_1} N \Pi_1(t_2), \\ \Pi_3(t_1, t_2, t_3) &:= e^{At_1} [H(\Pi_1(t_2) \otimes \Pi_1(t_3)), N \Pi_2(t_1, t_2)], \dots\end{aligned}$$

and a candidate for a new Gramian:

$$P := \sum_{k=1}^{\infty} P_k, \quad \text{where} \quad P_k = \int_0^{\infty} \cdots \int_0^{\infty} \Pi_k(t_1, \dots, t_k) \Pi_k(t_1, \dots, t_k)^T dt_1 \dots dt_k.$$

Using the *Volterra kernels*, we can define the **controllability mappings**

$$\begin{aligned}\boldsymbol{\Pi}_1(t_1) &:= e^{At_1} B, & \boldsymbol{\Pi}_2(t_1, t_2) &:= e^{At_1} N \boldsymbol{\Pi}_1(t_2), \\ \boldsymbol{\Pi}_3(t_1, t_2, t_3) &:= e^{At_1} [H(\boldsymbol{\Pi}_1(t_2) \otimes \boldsymbol{\Pi}_1(t_3)), N\boldsymbol{\Pi}_2(t_1, t_2)], \dots\end{aligned}$$

and a candidate for a new Gramian:

$$P := \sum_{k=1}^{\infty} P_k, \quad \text{where } P_k = \int_0^{\infty} \cdots \int_0^{\infty} \boldsymbol{\Pi}_k(t_1, \dots, t_k) \boldsymbol{\Pi}_k(t_1, \dots, t_k)^T dt_1 \dots dt_k.$$

Theorem

[B./GOYAL 2017]

If it exists, the new **controllability Gramian** P for QB (MIMO) systems with stable A solves the **quadratic Lyapunov equation**

$$AP + PA^T + \sum_{k=1}^m A_k P A_k^T + H(P \otimes P) H^T + BB^T = 0.$$

Note: $H = 0 \rightsquigarrow$ "bilinear reachability Gramian"; if additionally, all $A_k = 0 \rightsquigarrow$ linear one.

- Controllability energy functional (Gramian) of the dual system \Leftrightarrow observability energy functional (Gramian) of the original system.

- Controllability energy functional (Gramian) of the dual system \Leftrightarrow observability energy functional (Gramian) of the original system.
- This allows to define dual systems for QB systems:

$$\begin{aligned}\dot{x}(t) &= Ax(t) + Hx(t) \otimes x(t) + \sum_{k=1}^m A_k x(t) u_k(t) + Bu(t), & x(0) &= 0, \\ \dot{x}_d(t) &= -A^T x_d(t) - H^{(2)} x(t) \otimes x_d(t) - \sum_{k=1}^m A_k^T x_d(t) u_k(t) - C^T u_d(t), & x_d(\infty) &= 0, \\ y_d(t) &= B^T x_d(t),\end{aligned}$$

where $H^{(2)}$ is the mode-2 matricization of the QB Hessian.

- Controllability energy functional (Gramian) of the dual system \Leftrightarrow observability energy functional (Gramian) of the original system.
- This allows to define dual systems for QB systems:

$$\begin{aligned}\dot{x}(t) &= Ax(t) + Hx(t) \otimes x(t) + \sum_{k=1}^m A_k x(t) u_k(t) + Bu(t), & x(0) &= 0, \\ \dot{x}_d(t) &= -A^T x_d(t) - H^{(2)} x(t) \otimes x_d(t) - \sum_{k=1}^m A_k^T x_d(t) u_k(t) - C^T u_d(t), & x_d(\infty) &= 0, \\ y_d(t) &= B^T x_d(t),\end{aligned}$$

where $H^{(2)}$ is the mode-2 matricization of the QB Hessian.

- Writing down the **Volterra series** for the dual system \rightsquigarrow **observability mapping**.



CSC

Gramians for QB Systems

Dual Systems and Observability Gramians for QB Systems [B./GOYAL 2017]

- Controllability energy functional (Gramian) of the dual system \Leftrightarrow observability energy functional (Gramian) of the original system.
- Writing down the **Volterra series** for the dual system \rightsquigarrow **observability mapping**.
- This provides the **observability Gramian** Q for the QB system. It solves

$$A^T Q + QA + \sum_{k=1}^m A_k^T Q A_k + H^{(2)}(P \otimes Q) \left(H^{(2)}\right)^T + C^T C = 0.$$

- Controllability energy functional (Gramian) of the dual system \Leftrightarrow observability energy functional (Gramian) of the original system.
- Writing down the **Volterra series** for the dual system \rightsquigarrow **observability mapping**.
- This provides the **observability Gramian** Q for the QB system. It solves

$$A^T Q + QA + \sum_{k=1}^m A_k^T Q A_k + H^{(2)}(P \otimes Q) \left(H^{(2)}\right)^T + C^T C = 0.$$

Remarks:

- Observability Gramian depends on controllability Gramian!
- For $H = 0$, obtain "bilinear observability Gramian", and if also all $A_k = 0$, the linear one.

Bounding the energy functionals:

Lemma

[B./GOYAL 2017]

In a neighborhood of the stable equilibrium, $B_\varepsilon(0)$,

$$L_c(x_0) \geq \frac{1}{2}x_0^T P^{-1}x_0, \quad L_o(x_0) \leq \frac{1}{2}x_0^T Qx_0, \quad x_0 \in B_\varepsilon(0),$$

for "small signals" and x_0 pointing in unit directions.

Bounding the energy functionals:

Lemma

[B./GOYAL 2017]

In a neighborhood of the stable equilibrium, $B_\varepsilon(0)$,

$$L_c(x_0) \geq \frac{1}{2}x_0^T P^{-1}x_0, \quad L_o(x_0) \leq \frac{1}{2}x_0^T Qx_0, \quad x_0 \in B_\varepsilon(0),$$

for "small signals" and x_0 pointing in unit directions.

Another interpretation of Gramians in terms of energy functionals

1. If the system is to be steered from 0 to x_0 , where $x_0 \notin \text{range}(P)$, then $L_c(x_0) = \infty$ for all feasible input functions u .
2. If the system is (locally) controllable and $x_0 \in \ker(Q)$, then $L_o(x_0) = 0$.

Bounding the energy functionals:

Lemma

[B./GOYAL 2017]

In a neighborhood of the stable equilibrium, $B_\varepsilon(0)$,

$$L_c(x_0) \geq \frac{1}{2}x_0^T P^{-1}x_0, \quad L_o(x_0) \leq \frac{1}{2}x_0^T Qx_0, \quad x_0 \in B_\varepsilon(0),$$

for "small signals" and x_0 pointing in unit directions.

Another interpretation of Gramians in terms of energy functionals

1. If the system is to be steered from 0 to x_0 , where $x_0 \notin \text{range}(P)$, then $L_c(x_0) = \infty$ for all feasible input functions u .
2. If the system is (locally) controllable and $x_0 \in \ker(Q)$, then $L_o(x_0) = 0$.

This motivates to truncate states with only "small" components in $\text{range}(P)$, and almost in $\ker(Q)$, in balanced coordinates!

Illustration using a scalar system

$$\dot{x}(t) = ax(t) + hx^2(t) + nx(t)u(t) + bu(t), \quad y(t) = cx(t).$$




CSC

Gramians for QB Systems


Gramians and Energy Functionals

Illustration using a scalar system

$$\dot{x}(t) = ax(t) + hx^2(t) + nx(t)u(t) + bu(t), \quad y(t) = cx(t).$$



(a) Input energy lower bound.



(b) Output energy upper bound.

Figure: Comparison of energy functionals for $-a = b = c = 2, h = 1, n = 0$.



CSC

Truncated Gramians

- Now, the **main obstacle** for using the new Gramians is the solution of the (quadratic) Lyapunov-type equations.

- Now, the **main obstacle** for using the new Gramians is the solution of the (quadratic) Lyapunov-type equations.
- Fix point iteration** scheme can be employed but very expensive. [DAMM 2008]

- Now, the **main obstacle** for using the new Gramians is the solution of the (quadratic) Lyapunov-type equations.
- Fix point iteration** scheme can be employed but very expensive. [DAMM 2008]
- To overcome this issue, we propose **truncated Gramians** for QB systems.

- Now, the **main obstacle** for using the new Gramians is the solution of the (quadratic) Lyapunov-type equations.
- Fix point iteration** scheme can be employed but very expensive. [DAMM 2008]
- To overcome this issue, we propose **truncated Gramians** for QB systems.

Definition (Truncated Gramians)

[B./GOYAL 2017]

The truncated Gramians P_T and Q_T for QB systems satisfy

$$AP_T + P_TA^T = -BB^T - \sum_{k=1}^m A_k P_I A_k^T - H(P_I \otimes P_I)H^T,$$

$$A^T Q_T + Q_TA = -C^T C - \sum_{k=1}^m A_k^T Q_I A_k - H^{(2)}(P_I \otimes Q_I)(H^{(2)})^T,$$

where

$$AP_I + P_I A^T = -BB^T \quad \text{and} \quad A^T Q_I + Q_I A = -C^T C.$$




Truncated Gramians

Advantages of Truncated Gramians (T-Gramians)


- T-Gramians approximate energy functionals better than the actual Gramians.



- T-Gramians approximate energy functionals better than the actual Gramians.



(a) Input energy lower bounds.



(b) Output energy upper bounds.

Figure: Comparison of energy functionals for $-a = b = c = 2, h = 1, n = 0$.



Truncated Gramians

Advantages of Truncated Gramians (T-Gramians)

- T-Gramians approximate energy functionals better than the actual Gramians.
- $\sigma_i(P \cdot Q) > \sigma_i(P_T \cdot Q_T) \Rightarrow$ obtain smaller order of reduced system if truncation is done at the same cutoff threshold.

- T-Gramians approximate energy functionals better than the actual Gramians.
- $\sigma_i(P \cdot Q) > \sigma_i(P_T \cdot Q_T) \Rightarrow$ obtain smaller order of reduced system if truncation is done at the same cutoff threshold.
- Most importantly, we need solutions of **only four standard Lyapunov equations**.

- T-Gramians approximate energy functionals better than the actual Gramians.
- $\sigma_i(P \cdot Q) > \sigma_i(P_T \cdot Q_T) \Rightarrow$ obtain smaller order of reduced system if truncation is done at the same cutoff threshold.
- Most importantly, we need solutions of **only four standard Lyapunov equations**.
- Interpretation of controllability/observability of the system via T-Gramians:
 - If the system is to be steered from 0 to x_0 , where $x_0 \notin \text{range}(P_T)$, then $L_c(x_0) = \infty$.
 - If the system is controllable and $x_0 \in \ker(Q_T)$, then $L_o(x_0) = 0$.



Algorithm 1 Balanced Truncation MOR for QB Systems (Truncated Gramians).

1: **Input:** A, H, A_k, B, C .



Algorithm 1 Balanced Truncation MOR for QB Systems (Truncated Gramians).

- 1: **Input:** A, H, A_k, B, C .
- 2: Compute **low-rank factors** of T-Gramians: $P_T \approx SS^T$ and $Q_T \approx RR^T$.

Algorithm 1 Balanced Truncation MOR for QB Systems (Truncated Gramians).

- 1: **Input:** A, H, A_k, B, C .
- 2: Compute **low-rank factors** of T-Gramians: $P_T \approx SS^T$ and $Q_T \approx RR^T$.
- 3: Compute **SVD** of $S^T R$:
$$S^T R = U \Sigma V^T = [U_1 \ U_2] \text{diag}(\Sigma_1, \Sigma_2) [V_1 \ V_2]^T.$$



Algorithm 1 Balanced Truncation MOR for QB Systems (Truncated Gramians).

- 1: **Input:** A, H, A_k, B, C .
- 2: Compute **low-rank factors** of T-Gramians: $P_T \approx SS^T$ and $Q_T \approx RR^T$.

- 3: Compute **SVD** of $S^T R$:

$$S^T R = U \Sigma V^T = [U_1 \ U_2] \text{diag}(\Sigma_1, \Sigma_2) [V_1 \ V_2]^T.$$

- 4: Construct the **projection matrices** \mathcal{V} and \mathcal{W} :

$$\mathcal{V} = S U_1 \Sigma_1^{-1/2} \text{ and } \mathcal{W} = R V_1 \Sigma_1^{-1/2}.$$



Algorithm 1 Balanced Truncation MOR for QB Systems (Truncated Gramians).

- 1: **Input:** A, H, A_k, B, C .
- 2: Compute **low-rank factors** of T-Gramians: $P_T \approx SS^T$ and $Q_T \approx RR^T$.

- 3: Compute **SVD** of $S^T R$:

$$S^T R = U \Sigma V^T = [U_1 \ U_2] \text{diag}(\Sigma_1, \Sigma_2) [V_1 \ V_2]^T.$$

- 4: Construct the **projection matrices** \mathcal{V} and \mathcal{W} :

$$\mathcal{V} = S U_1 \Sigma_1^{-1/2} \text{ and } \mathcal{W} = R V_1 \Sigma_1^{-1/2}.$$

- 5: **Output:** reduced-order matrices:

$$\begin{aligned}\hat{A} &= \mathcal{W}^T A \mathcal{V}, & \hat{H} &= \mathcal{W}^T H (\mathcal{V} \otimes \mathcal{V}), & \hat{A}_k &= \mathcal{W}^T A_k \mathcal{V}, \\ \hat{B} &= \mathcal{W}^T B, & \hat{C} &= C \mathcal{V}.\end{aligned}$$

Remark: There are efficient ways to compute \hat{H} , avoiding the explicit computation of $\mathcal{V} \otimes \mathcal{V}$.
[B./BREITEN 2015, B./GOYAL/GUGERCIN 2018]

$$v_t + v^3 = v_{xx} + v, \quad (0, L) \times (0, T),$$

$$v(0, \cdot) = u(t), \quad (0, T),$$

$$v_x(L, \cdot) = 0, \quad (0, T),$$

$$v(x, 0) = v_0(x), \quad (0, L).$$





Figure: Chafee-Infante equation.

- Cubic nonlinearity that can be rewritten into QB form. [B./BREITEN 2015]
- The transformed QB system is of order $n = 1,000$.
- The output of interest is the response at right boundary at $x = L$.
- We determine a reduced-order system of order $r = 10$.

— Original System — BT — One-sided proj. — Two-sided proj.

Transient response



Relative error





Figure: Boundary control for a control input $u(t) = 5t \exp(-t)$.

one-/two-sided projection: (Petrov-)Galerkin projection yielding rational interpolation of multi-variable transfer functions [GU 2011, B./BREITEN 2015].

— Original System — BT — One-sided proj. — Two-sided proj.

Transient response



Relative error




Figure: Boundary control for a control input $u(t) = 25(1 + \sin(2\pi t))/2$.

one-/two-sided projection: (Petrov-)Galerkin projection yielding rational interpolation of multi-variable transfer functions [GU 2011, B./BREITEN 2015].

$$\epsilon v_t(x, t) = \epsilon^2 v_{xx}(x, t) + f(v(x, t)) - w(x, t) + q,$$

$$w_t(x, t) = h v(x, t) - \gamma w(x, t) + q,$$

with a nonlinear function

$$f(v(x, t)) = v(v - 0.1)(1 - v).$$

The boundary conditions are as follows:

$$v_x(0, t) = i_0(t), \quad v_x(L, t) = 0, \quad t \geq 0,$$

where $\epsilon = 0.015$, $h = 0.5$, $\gamma = 2$, $q = 0.05$,
 $L = 0.2$.

- Input $i_0(t) = 5 \cdot 10^4 t^3 \exp(-15t)$ serves as actuator.



CSC

Balanced Truncation for QB Systems

Numerical Results: FitzHugh-Nagumo (F-N) model



— Original system ($n = 1500$)x Reduced system (BT) ($r = 20$)(a) Limit-cycles at various x .(b) Projection onto the $v-w$ plane.

Figure: Comparison of the limit-cycles obtained via the original and reduced-order (BT) systems. The reduced-order systems constructed by rational interpolation methods were unstable.

1. Introduction
2. Balanced Truncation for Bilinear Systems
3. Balanced Truncation for QB Systems
4. Balanced Truncation for Polynomial Systems
 - Polynomial Control Systems
 - Gramians for PC Systems
 - Truncated Gramians
 - Numerical Example
5. Conclusions

Now, consider the class of **polynomial control (PC) Systems**:

$$\begin{aligned}\dot{x}(t) &= Ax(t) + \sum_{j=2}^{n_p} H_j (\otimes^j x(t)) + \sum_{j=2}^{n_p} \sum_{k=1}^m N_j^k (\otimes^j x(t)) u_k(t) + Bu(t), \\ y(t) &= Cx(t), \quad x(0) = 0,\end{aligned}$$

where

- n_p is the degree of the polynomial part of the system,
- $x(t) \in \mathbb{R}^n$, $\otimes^j x(t) = \underbrace{x(t) \otimes \cdots \otimes x(t)}_{j\text{-times}}$,
- $u(t) \in \mathbb{R}^m$, and $y(t) \in \mathbb{R}^p$, $n \gg m, p$.
- $A \in \mathbb{R}^{n \times n}$, $H_j, N_j^k \in \mathbb{R}^{n \times n^j}$, $B \in \mathbb{R}^{n \times m}$ and $C \in \mathbb{R}^{p \times n}$.
- **Assumption:** A is supposed to be Hurwitz \Rightarrow local stability.

Now, consider the class of **polynomial control (PC) Systems**:

$$\begin{aligned}\dot{x}(t) &= Ax(t) + \sum_{j=2}^{n_p} H_j (\otimes^j x(t)) + \sum_{j=2}^{n_p} \sum_{k=1}^m N_j^k (\otimes^j x(t)) u_k(t) + Bu(t), \\ y(t) &= Cx(t), \quad x(0) = 0,\end{aligned}$$

where

- n_p is the degree of the polynomial part of the system,
- $x(t) \in \mathbb{R}^n$, $\otimes^j x(t) = \underbrace{x(t) \otimes \cdots \otimes x(t)}_{j\text{-times}}$,
- $u(t) \in \mathbb{R}^m$, and $y(t) \in \mathbb{R}^p$, $n \gg m, p$.
- $A \in \mathbb{R}^{n \times n}$, $H_j, N_j^k \in \mathbb{R}^{n \times n^j}$, $B \in \mathbb{R}^{n \times m}$ and $C \in \mathbb{R}^{p \times n}$.
- **Assumption:** A is supposed to be Hurwitz \Rightarrow local stability.

Examples: [FitzHugh-Nagumo](#) and [Chafee-Infante](#) equations lead to cubic control systems; cubic-quintic [Allen-Cahn](#) equation to quintic control system.

Expanding the response of the PC system into a Volterra series representation and following the same ideas as in the QB case, we define the reachability Gramian as

$$P = \sum_{k=1}^{\infty} \int_0^{\infty} \cdots \int_0^{\infty} \bar{P}_k(t_1, \dots, t_k) \bar{P}_k(t_1, \dots, t_k)^T dt_1 \dots dt_k,$$

where $\bar{P}_1(t_1) = e^{At_1}B$, $\bar{P}_2(t_1, t_2) = \sum_{k=1}^m e^{At_1} N_1^k e^{At_2} B$,
 $\bar{P}_3(t_1, t_2, t_3) = e^{At_1} H_2 e^{At_2} B \otimes e^{At_3} B, \dots$ are the kernels of the Volterra series.

Expanding the response of the PC system into a Volterra series representation and following the same ideas as in the QB case, we define the reachability Gramian as

$$P = \sum_{k=1}^{\infty} \int_0^{\infty} \cdots \int_0^{\infty} \bar{P}_k(t_1, \dots, t_k) \bar{P}_k(t_1, \dots, t_k)^T dt_1 \dots dt_k,$$

where $\bar{P}_1(t_1) = e^{At_1}B$, $\bar{P}_2(t_1, t_2) = \sum_{k=1}^m e^{At_1} N_1^k e^{At_2} B$,
 $\bar{P}_3(t_1, t_2, t_3) = e^{At_1} H_2 e^{At_2} B \otimes e^{At_3} B, \dots$ are the kernels of the Volterra series.

Theorem

[B./GOYAL/PONTES DUFF 2018]

The **reachability Gramian P** of a PC system solves the **polynomial Lyapunov** equation

$$AP + PA^T + BB^T + \sum_{j=2}^{n_p} H_j \left(\otimes^j P \right) H_j^T + \sum_{j=2}^{n_p} \sum_{k=1}^m N_j^k \left(\otimes^j P \right) \left(N_j^k \right)^T = 0.$$

The Observability Gramian is defined as follows:

- First, we write the adjoint system as

[FUJIMOTO ET AL. 2002]

$$\begin{aligned}\dot{x}(t) &= Ax(t) + \sum_{j=2}^{np} H_j x_j^{\otimes}(t) + \sum_{j=1}^{np} \sum_{k=1}^m N_j^k x_j^{\otimes}(t) u_k(t) + Bu(t), \\ \dot{x}_d(t) &= -A^T x_d(t) - \sum_{j=2}^{np} H_j^{(2)} x_{d,j}^{\otimes}(t) - \sum_{j=1}^{np} \sum_{k=1}^m \left(N_j^{k,(2)}\right) x_{d,j}^{\otimes}(t) u_{d,k}(t) - C^T u_d(t), \quad x_d(\infty) = 0, \\ y_d(t) &= B^T x_d(t).\end{aligned}$$

The Observability Gramian is defined as follows:

- First, we write the adjoint system as

[FUJIMOTO ET AL. 2002]

$$\begin{aligned}\dot{x}(t) &= Ax(t) + \sum_{j=2}^{np} H_j x_j^{\otimes}(t) + \sum_{j=1}^{np} \sum_{k=1}^m N_j^k x_j^{\otimes}(t) u_k(t) + Bu(t), \\ \dot{x}_d(t) &= -A^T x_d(t) - \sum_{j=2}^{np} H_j^{(2)} x_{d,j}^{\otimes}(t) - \sum_{j=1}^{np} \sum_{k=1}^m \left(N_j^{k,(2)}\right) x_{d,j}^{\otimes}(t) u_{d,k}(t) - C^T u_d(t), \quad x_d(\infty) = 0, \\ y_d(t) &= B^T x_d(t).\end{aligned}$$

- Then, by taking the kernel of Volterra series, one has

Theorem [B./GOYAL/PONTES DUFF 2018]

Let **P** be the **reachability Gramian**. Then, the **observability Gramian Q** of a PC system solves the **polynomial Lyapunov equation**

$$A^T Q + QA + C^T C + \sum_{j=2}^{np} H_j^{(2)} \left(\otimes^{j-1} P \otimes Q \right) \left(H_j^{(2)} \right)^T + \sum_{j=2}^{np} \sum_{k=1}^m N_j^{k,(2)} \left(\otimes^{j-1} P \otimes Q \right) \left(N_j^{k,(2)} \right)^T = 0.$$

- Polynomial Lyapunov equations are very expensive to solve.
- As for QB systems, we thus propose truncated Gramians that only involve a finite number of kernels:

$$P_T = \sum_{k=1}^{n_p+1} \int_0^\infty \cdots \int_0^\infty \bar{P}_k(t_1, \dots, t_k) \bar{P}_k(t_1, \dots, t_k)^T dt_1 \dots dt_k.$$

Truncated Gramians

The reachability truncated Gramian solves

$$AP_T + P_T A^T + BB^T + \sum_{j=2}^{n_p} H_j \otimes^j P_I H_j^T + \sum_{j=2}^{n_p} \sum_{k=1}^m N_j^k \otimes^j P_I (N_j^k)^T = 0.$$

where $A P_I + P_I A^T + BB^T = 0$

- **Advantage:** Only need to solve a finite number of (linear) Lyapunov equations.

$$\epsilon v_t(x, t) = \epsilon^2 v_{xx}(x, t) + f(v(x, t)) - w(x, t) + q,$$

$$w_t(x, t) = h v(x, t) - \gamma w(x, t) + q,$$

with a nonlinear function

$$f(v(x, t)) = v(v - 0.1)(1 - v).$$

The boundary conditions are as follows:

$$v_x(0, t) = i_0(t), \quad v_x(L, t) = 0, \quad t \geq 0,$$

where $\epsilon = 0.015$, $h = 0.5$, $\gamma = 2$, $q = 0.05$, $L = 0.2$.

- After discretization we obtain a PC system with cubic nonlinearity of order $n_{pc} = 600$. [B./BREITEN '15]
- The transformed quadratic-bilinear (QB) system is of order $n_{qb} = 900$.
- The outputs of interest $v(0, t)$, $w(0, t)$ are the responses at the left boundary at $x = 0$.
- We compare balanced truncation for PC and QB systems.




CSC

Numerical Example


The FitzHugh-Nagumo Model: Singular Value Decay

— BT for QB systems


— BT for PC systems




- Decay singular values for PC systems is faster \Rightarrow smaller reduced order model!



- Original PC system of order 600. Original QB system of order 900.
- Reduced PC system of order 10. Reduced QB system of order 10.



- Original PC system of order 600. Original QB system of order 900.
- Reduced PC system of order 10. Reduced QB system of order 30.



- Original PC system of order 600. Original QB system of order 900.
- Reduced PC system of order 10. Reduced QB system of order **43**.



- BT extended to bilinear, QB, and polynomial systems.
- Local Lyapunov stability is preserved.
- As of yet, only weak motivation by local bounds of energy functionals.
- No error bounds in terms of "Hankel" singular values.
- Computationally efficient (as compared to nonlinear balancing), and input independent.
- **To do:**
 - improve efficiency of Lyapunov solvers with many right-hand sides further;
 - error bound;
 - conditions for existence of new QB/PC Gramians;
 - extension to descriptor systems.



Own References

- ¶ P. Benner and T. Damm.
Lyapunov Equations, Energy Functionals, and Model Order Reduction of Bilinear and Stochastic Systems.
SIAM JOURNAL ON CONTROL AND OPTIMIZATION, 49(2):686–711, 2011.
- ¶ P. Benner and T. Breiten.
Low Rank Methods for a Class of Generalized Lyapunov Equations and Related Issues.
NUMERISCHE MATHEMATIK, 124(3):441–470, 2013.
- ¶ P. Benner and T. Breiten.
Two-Sided Projection Methods for Nonlinear Model Order Reduction.
SIAM JOURNAL ON SCIENTIFIC COMPUTING, 37(2):B239-B260, 2015.
- ¶ T. Damm and P. Benner.
Balanced Truncation for Stochastic Linear Systems with Guaranteed Error Bound.
In *PROCEEDINGS OF MTNS 2014*, pp. 1492–1497, 2014.
- ¶ P. Benner, T. Damm, M. Redmann, and Y. Rocio Rodriguez Cruz.
Positive Operators and Stable Truncation.
LINEAR ALGEBRA AND ITS APPLICATIONS, 498:74–87, 2016.
- ¶ P. Benner, T. Damm, M. Redmann, and Y. Rocio Rodriguez Cruz.
Dual Pairs of Generalized Lyapunov Inequalities and Balanced Truncation of Stochastic Linear Systems.
IEEE TRANSACTIONS ON AUTOMATIC CONTROL, 62(2):782–791, 2017.
- ¶ P. Benner, P. Goyal, and M. Redmann.
Truncated Gramians for Bilinear Systems and their Advantages in Model Order Reduction.
In P. Benner, M. Ohlberger, T. Patera, G. Rozza, K. Urban (Eds.), *MODEL REDUCTION OF PARAMETRIZED SYSTEMS, MS & A — Modeling, Simulation and Applications*, Vol. 17, pp. 285–300. Springer International Publishing, Cham, 2017.
- ¶ P. Benner and P. Goyal.
Balanced Truncation Model Order Reduction for Quadratic-Bilinear Control Systems.
arXiv Preprint arXiv:1705.00160, April 2017.
- ¶ P. Benner, P. Goyal, and Serkan Gugercin.
 H_2 -Quasi-Optimal Model Order Reduction for Quadratic-Bilinear Control Systems.
SIAM JOURNAL ON MATRIX ANALYSIS AND APPLICATIONS 39(2):983–1032, 2018.
- ¶ P. Benner, P. Goyal, and I. Pontes Duff.
Approximate Balanced Truncation for Polynomial Control Systems.
Coming soon.